


# COMP6771

## STL Containers

### Lecture 2.1

Author(s): Hayden Smith



[\(Download as PDF\)](#)



# STL: Standard Template Library

- STL is an architecture and design philosophy for managing generic and abstract collections of data with algorithms
- All components of the STL are templates
- Containers store data, but don't know about algorithms
- Iterators are an API to access items within a container in a particular order, agnostic of the container used
  - Each container has its own iterator types
- Algorithms manipulate values referenced by iterators, but don't know about containers



# Basic Container Iteration

```
1 #include <array>
2 #include <iostream>
3
4 int main()
5 {
6     // C-style. Don't do this
7     // int ages[3] = { 18, 19, 20 };
8     // for (int i = 0; i < 3; ++i) {
9     //     std::cout << ages[i] << "\n";
10    // }
11
12    // C++ style. This can be used like any other C++ container.
13    // It has iterators, safe accesses, and it doesn't act like a pointer.
14    std::array<int, 3> ages { 18, 19, 20 };
15
16    for (unsigned int i = 0; i < ages.size(); ++i) {
17        std::cout << ages[i] << "\n";
18    }
19    for (auto it = ages.begin(); it != ages.end(); ++it) {
20        std::cout << *it << "\n";
21    }
22    for (const auto& age : ages) {
23        std::cout << age << "\n";
24    }
25 }
```

vector-iterate.cpp



# Sequential Containers

Organises a finite set of objects into a strict linear arrangement.

<code>std::vector</code>	Dynamically-sized array
<code>std::array</code>	Fixed-size array
<code>std::deque</code>	Double-ended queue
<code>std::forward_list</code>	Singly-linked list
<code>std::list</code>	Doubly-linked list

We will explore these in greater detail in Week 10.

It won't be necessary to use anything other than `std::vector` in COMP6771.



# Sequential Containers

`<vector>`: Most commonly used array-like container

- Abstract, dynamically-resizable array
- In later weeks we will learn about various ways to construct a vector

```
1 #include <iostream>
2 #include <vector>
3
4 // Begin with numbers 1, 2, 3 in the list already
5 int main()
6 {
7     // In C++17 we can omit the int if the compiler can determine the type.
8     std::vector<int> numbers { 1, 2, 3 };
9     int input;
10    while (std::cin >> input) {
11        numbers.push_back(input);
12    }
13    std::cout << "1st element: " << numbers.at(0) << "\n"; // slower, safer
14    std::cout << "2nd element: " << numbers[1] << "\n"; // faster, less safe
15    std::cout << "Max size before realloc: " << numbers.capacity() << "\n";
16    for (int n : numbers) {
17        std::cout << n << "\n";
18    }
19 }
```

`vector-object.cpp`



# Ordered Associative Containers

Organises a finite set of objects into a strict linear arrangement.

<code>std::set</code>	A collection of unique keys
<code>std::multiset</code>	A collection of keys
<code>std::map</code>	Associative array that map a unique keys to values
<code>std::multimap</code>	Associative array where one key may map to many values

They are mostly interface-compatible with the unordered associative containers.



# Ordered Associative Containers

## std::map example

```
1 #include <iostream>
2 #include <map>
3 #include <string>
4
5 int main()
6 {
7     std::map<std::string, double> m;
8     // The insert function takes in a key-value pair.
9     std::pair<std::string, double> p1 { "bat", 14.75 };
10    m.insert(p1);
11    // The compiler will automatically construct values as
12    // required when it knows the required type.
13    m.insert({ "cat", 10.157 });
14    // This is the preferred way of using a map
15    m.emplace("cat", 10.157);
16
17    // This is very dangerous, and one of the most common causes of mistakes in C++.
18    std::cout << m["bat"] << '\n';
19
20    auto it = m.find("bat"); // Iterator to bat if present, otherwise m.end()
21    (void)it;
22
23    // This is a great example of when to use auto, but we want to show you what type it is.
24    for (const std::pair<const std::string, double>& kv : m) {
25        std::cout << kv.first << ' ' << kv.second << '\n';
26    }
27 }
```

map-container.cpp



# Unordered Associative Containers

Provide fast retrieval of data based on keys. The keys are hashed.

<code>std::unordered_set</code>	A collection of unique keys
<code>std::unordered_map</code>	Associative array that map unique keys to a values



# Container Performance

- Performance still matters
- STL containers are abstractions of common data structures
- [cppreference](#) has a summary of them here.
- Different containers have different time complexity of the same operation (see right)



# Container Performance

Operation	vector	list	queue
container()	O(1)	O(1)	O(1)
container(size)	O(1)	O(N)	O(1)
operator[]()	O(1)	-	O(1)
operator=(container)	O(N)	O(N)	O(N)
at(int)	O(1)	-	O(1)
size()	O(1)	O(1)	O(1)
resize()	O(N)	-	O(N)
capacity()	O(1)		
erase(iterator)	O(N)	O(1)	O(N)
front()	O(1)	O(1)	O(1)
insert(iterator, value)	O(N)	O(1)	O(N)
pop_back()	O(1)	O(1)	O(1)
pop_front()		O(1)	O(1)
push_back(value)	O(1)+	O(1)	O(1)+
push_front(value)		O(1)	O(1)+
begin()	O(1)	O(1)	O(1)
end()	O(1)	O(1)	O(1)

O(1)+ means amortised constant time

# 👂 Feedback



Or go to the [form here](#).

